

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((("20050131624") or ("6188224"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/25 16:38
S2	12	(324/381.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:39
S3	365	(324/380,378.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:45
S4	2	de-19704166-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:26
S5	1	de-4328719-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:26
S6	2	ep-1103817-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:27
S7	483	((electro\$1magnetic\$3 adj2 valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:24

S8	16	((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) near3 (electro\$1magnetic\$3 adj2 valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:34
S9	4	((("5820101") or ("6199774")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/29 10:43
S10	56	S7 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) near3 (electro\$1magnetic\$3 adj2 valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 10:47
S11	33	S10 and (voltage current signal input stimu\$7 excit\$7) with (electro\$1magnetic\$3 adj2 valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:01
S12	30	S11 and (voltage current signal input stimu\$7 excit\$7) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:57
S13	2	S7 and (actual adj current) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:26
S14	28225	((electr\$5 adj consumer) valve) near3 (internal adj combustion adj (engine vehicle))) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:27
S15	15	S14 and ((electr\$5 adj consumer) valve) same ((actual adj current) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:28

S16	6	S15 and set\$1point		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:01
S17	223	S14 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:29
S18	8	S17 and set\$1point adj (voltage current signal input stimu\$7 excit\$7)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:57
S19	3	S18 and add\$5 same (set\$1point adj (voltage current signal input stimu\$7 excit\$7))		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:18
S20	3	S19 and (anal\$5 \$3valuat\$5 compar\$5) same (voltage current signal input stimu\$7 excit\$7)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:32
S21	247226	(internal adj combustion adj (engine vehicle)) and @ad<"20030618"		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:52
S22	111035	S21 and ((electr\$5 adj consumer) valve)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:53
S23	863	S22 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:49

S24	99	S23 and set\$Ipoint adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:51
S25	89	S24 and (anal\$5 \$3valuat\$5 compar\$5) same (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:02
S26	20	S25 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near\$3 result	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:54
S27	1	S26 and inter\$connect\$5 same ((electr\$5 adj consumer) valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:58
S28	493	(701/114.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:36
S29	2036	(123/479,490,90.11.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:49
S30	23	S28 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near\$3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:37
S31	52	S29 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near\$3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:50

S32	6	S30 and set\$1point adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:37
S33	17	S31 and set\$1point adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:07
S34	2279	(73/119R,116.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:14
S35	41	S34 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:38
S36	2	S35 and set\$1point adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:37
S37	248453	(internal adj combustion adj (engine vehicle car automobile auto motor)) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:49
S38	111487	S37 and ((electr\$5 adj consumer) valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 15:03
S39	867	S38 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5 form\$3 yield\$3 add\$3) near3 (total sum) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:57

S40	821	S39 and (analy\$5 anali\$5 \$3valuat\$5 compar\$5 differ\$7) same (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:05
S41	2037	(123/479,490,90.11.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:26
S42	52	S41 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:38
S43	44	S42 and (set\$Ipoint maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:39
S44	64	S40 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 13:58
S45	57	S44 and (set\$Ipoint maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 13:38
S46	6	("6661636") or ("6119655") or ("5892649")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/30 11:38
S47	803	(361/152,154.ccls.) and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 13:35

S48	215	gaessler		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 13:38
S49	20	S48 and (set\$Ipoint maximum minimum limit\$3 threshold pre\$Idefined pre\$Iselected pre\$Iselected pre\$I determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:02
S50	3	S49 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:04
S51	276	(324/388,503.ccls.) and @ad<"20030618"		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:00
S52	1153	(324/522,525.ccls.) and @ad<"20030618"		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:00
S53	1171	(324/73.1.ccls.) and @ad<"20030618"		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:00
S54	138	S51 and (set\$Ipoint maximum minimum limit\$3 threshold pre\$Idefined pre\$Iselected pre\$Iselected pre\$I determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:02
S55	443	S52 and (set\$Ipoint maximum minimum limit\$3 threshold pre\$Idefined pre\$Iselected pre\$Iselected pre\$I determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)		US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:02

S56	419	S53 and (set\$1 point maximum minimum limit\$3 threshold pre\$1 defined pre\$1 selected pre\$1 selected pre\$1 determined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:17
S57	4	S54 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:03
S58	15	S55 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:03
S59	11	S56 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:19
S60	189	(gaessler).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:04
S61	3	S50 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:06
S62	2	S57 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:13
S63	8	S58 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:17

S64	6	S59 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:18
S65	16	S60 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:46
S66	6377	monitor\$3 with current with load	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:13
S67	5627	S66 and @ad<"20030618"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:14
S68	3098	S67 and (set\$1point maximum minimum limit\$3 threshold pre\$1defined pre\$1selected pre\$1elected pre\$1etermined allowed) adj2 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:17
S69	131	S68 and ((actual adj (voltage current signal input stimu\$7 excit\$7 value)) near3 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:19
S70	83	S69 and (total sum add\$5) near3 (voltage current signal input stimu\$7 excit\$7 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 14:46
S71	60	S70 and (vehic\$5 car automobile auto motor (internal adj combustion adj (engine machine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 15:02

S72	38	S71 and ((electr\$5 adj (motor connector assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance consumer) valve))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 15:23
-----	----	--	--	----	----	------------------